

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Leslie A. Van Leeuwen on 10/15/2009.

The application has been amended as follows:

Replaced claim 34 with the following:

34. The apparatus of Claim 32 wherein when the displayed name of the selected computer system is selected further information about the status of the command executing on the selected computer system is displayed.

The amendment corrects the dependency error in claim 34.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Larry D. Donaghue whose telephone number is 571-272-3962. The examiner can normally be reached on M-F 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Flynn can be reached on 571-272-1915. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Larry D Donaghue  
Primary Examiner  
Art Unit 2454

/Larry D Donaghue/  
Primary Examiner, Art Unit 2454